

## AMENDMENT

This listing of claims will replace all prior versions and listings of claims in the Application:

### **Listing of Claims:**

Claim 1 (withdrawn): Assembly comprising a solid and its wrapping, said wrapping comprising at least one film comprising at least one twist wrap and/or one fold, said film comprising at least one layer comprising at least one polyester, said film being essentially monolayer or multilayer and comprising at least one layer comprising at least one polyolefin.

Claim 2 (withdrawn): Assembly according to Claim 1, wherein the wrapping fits directly around most of the surface of the wrapped solid.

Claim 3 (withdrawn): Assembly according to Claim 1, wherein the solid is a foodstuff.

Claim 4 (withdrawn): Assembly according to Claim 1, wherein the wrapping is not held by an adhesive or bonding agent, a hot or cold sealing, or by a reinforcement as an overthickness to said film.

Claim 5 (withdrawn): Assembly according to Claim 1, wherein the polyester is amorphous.

Claim 6 (withdrawn): Assembly according to Claim 1, wherein the film comprises a plane of symmetry which is parallel to it, said symmetry applying both to the geometry and to the composition of said film.

Claim 7 (withdrawn): Assembly according to Claim 1, wherein the sum of the mass of the layers comprising the polyester comprises at least 20% by weight of the mass of the film.

Claim 8 (withdrawn): Assembly according to Claim 1, wherein the film comprises at least three layers, two of which comprise outer layers comprising at least the polyester and one of which comprises a middle layer comprising at least one polyolefin.

Claim 9 (withdrawn): Assembly according to Claim 8, wherein the sum of the mass of the three layers comprises at least 80% of the total mass of the film and each of said three layers comprises at least 10% by weight of the total mass of the film.

Claim 10 (withdrawn): Assembly according to Claim 8, wherein the middle layer comprises at least 60% of an ethylene polymer.

Claim 11 (withdrawn): Assembly according to Claim 8, wherein the middle layer comprises 40 to 80 % by weight of the mass of the film.

Claim 12 (withdrawn): Assembly according to Claim 12, wherein the diol is cyclohexanedimethanol.

Claim 13 (withdrawn): Assembly according to Claim 12, wherein the diacid component of the polyester comprises 70 to 100 mol% of terephthalic acid and 0 and 30 mol% of another acid chosen from isophthalic acid, naphthalendicarboxylic acid and 1,4-cyclohexanedicarboxylic acid or mixtures thereof, and the diol component of the polyester and comprises 2 to 99 mol% of 1,4-cyclohexanedimethanol and from 1 to 98 mol% of ethylene glycol.

Claim 14 (withdrawn): Assembly according to Claim 13, wherein the diacid component of the polyester comprises 80 to 100 mol% of terephthalic acid of and 0 and 20 mol% of isophthalic acid, and the diol component of the polyester comprises 25 to 40 mol% of 1,4-cyclohexanedimethanol and from 75 to 60 mol% of ethylene glycol.

Claim 15 (withdrawn): Assembly according to Claim 1, wherein the film comprises at least one antiblocking agent and/or at least one antistatic agent and/or at least one release agent.

Claim 16 (withdrawn): Assembly according to Claim 1, wherein film has undergone printing and/or metallization.

Claim 17 (withdrawn): Assembly according to Claim 1, wherein film has a thickness of from 10 to 60  $\mu\text{m}$ .

Claim 18 (currently amended): A symmetrical co-extruded twist wrap ~~film~~ comprising two outer layers and a middle layer, said outer layers comprising amorphous or semi-crystalline

polyester obtained from the condensation of a diacid component comprising terephthalic acid with ethylene glycol and a diol component comprising at least three carbon atoms, and said middle layer comprising polyolefin, and further comprising a plane of symmetry which is parallel to said film, said symmetry applying both to the geometry and to the composition of said twist wrap film, said ~~twist wrap film being for wrapping objects and being capable of~~ substantially retaining its shape when wrapped around an object.

Claim 19 (currently amended): Twist wrap Film according to Claim 18, wherein the polyester is amorphous.

Claim 20 (currently amended): Twist wrap Film according to Claim 19, wherein the sum of the mass of the layers comprising the polyester comprises at least 20% by weight of the mass of the twist wrap film.

Claim 21 (currently amended): A symmetrical co-extruded twist wrap film comprising at least three layers, two of which comprise outer layers comprising at least amorphous or semi-crystalline polyester obtained from condensation of a diacid component comprising terephthalic acid with ethylene glycol and a diol component comprising at least three carbon atoms, and one of which comprises a middle layer comprising at least one polyolefin, wherein the mass of the layers comprising the polyester comprises at least 20% by weight of the mass of the twist wrap film and the twist wrap substantially retains its shape when wrapped around an object.

Claim 22 (currently amended): Twist wrap Film according to Claim 21, wherein the sum of the mass of the three layers comprises at least 80% of the total mass of the twist wrap film and each of said three layers comprises at least 10% by weight of the total mass of the twist wrap film.

Claim 23 (currently amended): Twist wrap Film according to Claim 22, wherein the middle layer comprises at least 60% of an ethylene polymer.

Claim 24 (currently amended): Twist wrap Film according to Claim 21, wherein the middle layer comprises 40 to 80% by weight of the mass of the twist wrap film.

Claim 25 (currently amended): Twist wrap Film according to Claim 18, wherein the diol is cyclohexanedimethanol.

Claim 26 (currently amended): Twist wrap Film according to Claim 25, wherein the diacid component of the polyester comprises 70 to 100 mol% of terephthalic acid and 0 to 30 mol% of another acid chosen from isophthalic acid, naphthalenedicarboxylic acid and 1,4-cyclohexanedicarboxylic acid or mixtures thereof, and the diol component of the polyester comprises 2 to 99 mol% of 1,4-cyclohexanedimethanol and from 1 to 98 mol% of ethylene glycol.

Claim 27 (currently amended): Twist wrap Film according to Claim 26, wherein the diacid component of the polyester comprises 80 to 100 mol% of terephthalic acid and 0 to 20 mol% of isophthalic acid, and the diol component of the polyester comprises 25 to 40 mol% of 1,4-cyclohexanedimethanol and from 75 to 60 mol% of ethylene glycol.

Claim 28 (currently amended): Twist wrap Film according to Claim 18, further comprising at least one antiblocking agent and/or at least one antistatic agent and/or at least one release agent.

Claim 29 (currently amended): Twist wrap Film according to Claim 18, wherein the twist wrap film has undergone printing and/or metallization.

Claim 30 (currently amended): Twist wrap Film according to Claim 18, having a thickness of from 10 to 60  $\mu\text{m}$ .

Claim 31 (withdrawn— currently amended): Process for manufacturing a twist wrap film according to Claim 18, comprising extruding or blow-molding co-extruding of the various layers of said twist wrap film.

Claim 32 (withdrawn): Process according to Claim 31, wherein the operating parameters of the blow-molding extrusion or coextrusion are as follows:

- drawing rate: 2 to 50,
- blowing rate: 1 to 10,

- air-gap: 0.5 to 5 mm
- drawing speed: 10 to 150 m/min.

Claim 33 (withdrawn): Process according to Claim 32, wherein the operating parameters of the blow-molding extrusion or coextrusion step are as follows:

- drawing rate: 10 to 30,
- blowing rate: 1.5 to 3,
- air-gap: 0.8 to 1.6 mm
- drawing speed: 30 to 60 m/min.

Claim 34 (withdrawn): Process according to Claim 31, wherein the blow-molding extrusion or coextrusion step is followed by at least one step of drawing or of double-drawing.

Claim 35 (withdrawn— currently amended): Process according Claim 31, wherein the twist wrap film undergoes at least one step of antistatic treatment and/or of metallization and/or of printing.

Claim 36 (withdrawn): Assembly according to Claim 1, comprising at least one layer comprising at least one polyolefin.

Claim 37 (withdrawn): Assembly according to Claim 1, wherein said polyester comprises a condensation product of a diacid component comprising terephthalic acid with ethylene glycol and a diol component comprising at least three carbon atoms.

Claim 38 (withdrawn): Assembly according to Claim 3, wherein the foodstuff is a sweet.

Claim 39 (withdrawn): A wrapped food product comprising (i) the food product; and (ii) a polyester film comprising at least one of a twist wrap and a fold, said wrapped food product not including an adhesive or bonding agent.